

LIGHT & RETAIL



CONTENTS

LIGHT & FASHION

Atmospheric lighting creates a cosy atmosphere and shows off the high-quality products to their best advantage.

PAGE 6



LIGHT & FOOD

Everything depends on the interplay between ambient lighting and accent lighting when it is a matter of emphasising the freshness of the food in an ideal way.

PAGE 17



LIGHT & SHOP

Create a perfect lighting concept and set highlights with the help of points of light arranged close together so that your product is presented in an optimum manner.

PAGE 28



PRODUCT RANGE

Light is fast, magical and astonishingly efficient. Why not profit from a multi-faceted range and our many years of experience?

PAGE 36



The Oktalite offices
in Cologne



LIGHT IS OUR PASSION

Lighting can create orientation, attract attention to products and arouse interest. Lighting fascinates because it is able in different ways to encourage us to buy. And exactly that is what has been motivating us and driving us for more than 30 years. Our special field: retail areas. We develop customised lighting concepts, standard and special products and services in line with the market. At the same time we always keep an eye on sustainability and also provide varied LED solutions for optimum and efficient illumination.

As a member of the Trilux Group we are a full-range supplier: besides the scene setting in the sales area we are able to competently and economically illuminate all of the adjacent areas inside or outside of the building.

Showroom:
It's about colour and contrast
 Experience the effect of our lighting management with different lighting scenarios for positive attention.



WELCOME TO OUR LIGHTHOUSE!

Bright, open and modern – in the LightHouse bright colours, modern decoration and the current product range, with the latest LED technology and lighting management, reign. These are the best conditions for directly taking down your store requirements on the spot and implementing them in a customised lighting concept.


Get to know “LightHouse” and experience lighting on an area of 530 m². We look forward to your visit!

Supermarket:
It's about efficiency
 Select the optimum light colour for different freshness areas. Compare efficient lighting solutions for aisles containing the assortment.



Concept Hall: It's about harmony

[TO THE CONTACT FORM](#)



OKTALITE

LIGHT & FASHION

TABLE OF CONTENTS



UNDER ARMOUR – Pretoria, South Africa | LED

ECKERLE – Augsburg, Germany | LED

BREDL – Ravensburg, Germany | LED

GOLFHOUSE – Eschborn, Germany | LED

LEFFERS – Wilhelmshaven, Germany | LED

SHOE CITY – Berlin, Germany | LED

SCHUH SCHMID – Augsburg, Germany | LED

HELLNER MODEN – Sylt, Germany | LED

HÄMMERLE – Vienna, Austria | LED

GERRY WEBER – Cologne, Germany | LED




MORE SPORTS

UNDER ARMOUR
Pretoria, South Africa



PRODUCT
LOBU



[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

SMART LIGHT FOR SMART SUITES

ECKERLE
Munic, Germany



PRODUCT
QUAD



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

56% ENERGY SAVING

BREDL
Ravensburg, Germany



PRODUCT
CANILO



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

EXCLUSIVE SPORTS FASHION

GOLFHOUSE
Eschborn, Germany



PRODUCT
B.LEE




LIGHTING FOR THE LOFT

LEFFERS

Wilhelmshaven, Germany



PRODUCT
**QUIRA
PLUS**



BEST COLOUR FOR SHOES

SHOE CITY

Berlin, Germany



PRODUCT
CANILO



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

SHOES AND FASHION ON SIX FLOORS

SCHUH SCHMID
Augsburg, Germany



PRODUCT
**B.LEE
MINI**



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)

STORE OF THE YEAR 2016

HELLNER MODEN
Sylt, Germany



PRODUCT
**TARO
MINI**



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

NEW MEETS OLD

HÄMMERLE
Vienna, Austria



PRODUCT
**TARO
MINI**



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)


FASHION. LIFESTYLE. EXPERIENCE.

GERRY WEBER
Cologne, Germany



PRODUCT
QUIRA





OKTALITE

LIGHT & FOOD

TABLE OF CONTENTS



COLOGNEER WEINKELLER – *Cologne, Germany* | LED

EDEKA NIEMERSZEIN – *Hamburg, Germany* | LED

FRESH FOOD MARKET – *Cairo, Egypt* | LED

CARREFOUR – *Mons, Belgium* | LED

KLAAS & KOCK – *Rheine, Germany* | LED

SPAR – *Middelburg, South Africa* | LED

EDEKA KÖPPER – *Niedernwöhren, Germany* | LED

INTERMARCHÉ – *Conches-en-Ouche, France* | LED

REWE – *Wolfratshausen, Germany* | LED




13 METRES BELOW GROUND

KÖLNER WEINKELLER
Cologne, Germany



PRODUCT
**TARO
MINI**



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

SMART LIGHT FOR MEAT

EDEKA NIEMERSZEIN
Hamburg, Germany



PRODUCT
**CARDAN
SOLO**



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)

FRESH STORE DESIGN

FRESH FOOD MARKET
Cairo, Egypt



PRODUCT
E-LINE



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)

HYPERMARKET OF THE FUTURE

CARREFOUR
Mons, Belgium



PRODUCT
B.LEE




FLAGSHIP STORE

KLAAS & KOCK
Rheine, Germany



PRODUCT
LORETO




[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)

FOOD AND MORE

SPAR
Middelburg, South Africa



PRODUCT
STRATUS
155

[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

HEALTHY LIGHTING

EDEKA KÖPPER
Niedernwöhren, Germany



PRODUCT
B.LEE



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)

BIO BOUTIQUE

INTERMARCHÉ
Conches-en-Ouche, France



PRODUCT
**SYSTEM
190**



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

BETTER LIGHTING

REWE
Wolfratshausen, Germany




PRODUCT
STRATUS
155



[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



OKTALITE

LIGHT & SHOP

TABLE OF CONTENTS



INJOY – *Gera, Germany* | LED

TITUS – *Berlin, Germany* | LED

BMW MOTORRADZENTRUM – *Munic, Germany* | LED

K IN LAUTERN – *Kaiserslautern, Germany* | LED

VW ERIK ARNESEN BRYN – *Oslo, Norway* | LED

VEDES SPIEL + FREIZEIT – *Heidelberg, Germany* | LED




BEST LIGHT FOR FITNESS

INJOY
Gera, Germany



PRODUCT
B.LEE



[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

LONGBORDS, FASHION AND FUN

TITUS
Berlin, Germany



PRODUCT
B.LEE



[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

MORE THAN HELMETS

BMW MOTORRADZENTRUM
Munic, Germany



PRODUCT
TARO



[VIEW REFERENCE ONLINE](#)


[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)

LIGHTING OVER FOUR LEVELS

K IN LAUTERN

Kaiserslautern, Germany



[VIEW REFERENCE ONLINE](#)


[TABLE OF CONTENTS](#)

COOL SPEED

VW ERIK ARNESEN BRYN
Oslo, Norway



PRODUCT
TARO




[VIEW REFERENCE ONLINE](#)

[PRODUCT OVERVIEW](#)


[TABLE OF CONTENTS](#)

PLAY WITH LIGHT

VEDES SPIEL + FREIZEIT
Heidelberg, Germany



PRODUCT
**QUIRA
PLUS**



OKTALITE



PRODUCT RANGE

TABLE OF CONTENTS

OUR PRODUCTS

LIGHTING TECHNOLOGY – LED

Our luminaires are efficient. For us the optimum mix of light effect and energy requirements is the basis of every lighting concept and of every product innovation.

Our luminaires create orientation, guide, attract attention to your goods and arouse interest.





ANTELOPE

Extremely functional and miniaturised: the combination of innovative LED light engine, a unit consisting of LED module and integrated driver, the supporting cooling system and the reflector system characterises the dematerialised design of the ANTELOPE spotlight. Outwardly interchangeable reflectors generate high efficiency for goods presentation and provide pleasant visual comfort thanks to a high degree of glare suppression.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Socket	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



B.LEE

The spotlight that sets new standards: B.LEE is not only flexible, but also extremely powerful and versatile. Whether restrained or front and centre: optimum cooling management defines the design, and the optional decorative rings, make B.LEE a special eyecatcher.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



B.LEE MINI

B.LEE MINI makes perfect use of its inconspicuous size: the small LED spotlight has an unobtrusive appearance and at the same a high performance. Exposed cooling ribs optimise the passive cooling management and makes for an unmistakable look.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



BONEO

BONEO is surprising due to its design features in a bi-colour look. The innovative rotating and pivoting joint permits illumination of the goods with pinpoint accuracy. A black anti-glare ring and extremely efficient reflectors guarantee perfect glare suppression for maximum visual comfort. LED^{IQ} lighting management for your modernization: prepared for an optional wireless interface the spotlight can also receive the control commands over wireless links in future.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

PRODUCT OVERVIEW

TABLE OF CONTENTS



CANILO PLUS

CANILO Plus is the power package of the Canilo luminaire family. With up to 6,000 lumens it can be used wherever a high output is required – in rooms with high ceilings, for example, or where marked accents and a dramatic interplay of light and shadows are required.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Socket	2500 lm - 3000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



CANILO

CANILO is characterised by classic, elegant design and provides a special element for supporting the customer's CI: the lateral bracket can be adapted colour-wise to customise it. The set-back reflector with integrated anti-glare ring provides a high degree of visual comfort. At the same time the surface-mounted spotlight stands for high performance and efficiency.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



FANO

FANO's cubic design is unmistakable. FANO is versatile - it can extend like a surface-mounted spotlight or line up straight like a downlight box.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	2000 lm - 5000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



FANO MINI

FANO MINI's distinguishing feature is its cubic, linear design. The perfect supplement to the successful product family in miniature format with almost closed housing. Flexible in use and particularly suitable for low ceiling heights.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



GRADO

The relaunch perfects the proven GRADO by means of a smaller and lighter design. GRADO is characterized by the precise large-area wall illumination for graphics, displays or visuals and the systematic illumination of assortment-containing aisles and goods, e.g. on back walls. At the same time, the specially developed rectangular reflector provides optimum glare-reduction in addition to the homogenous light distribution with soft edges.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	2000 lm - 5000 lm
Light colour	2700 K, Best Colour, 3100 K Efficient Colour
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



IN.EVO

IN.EVO unites aesthetics and light intensity on the power track. The compact, spherical luminaire head creates the appearance of hovering. The manoeuvrable spotlight requires little space and can even be used on vertically mounted power tracks. With LED-IQ, In.Evo provides the best prerequisites for intelligent lighting management and hence more attraction at the point of sale.



Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



LIGHTPANEL

Large areas demand efficient and powerful lighting systems. LIGHTPANEL provides the optimum solution and can be equipped with up to 8000 lm. Hence rooms with high ceilings can also be efficiently and homogeneously illuminated. Two light colours and two different beam characteristics provide great flexibility for the requirements in the retail trade.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	8000 lm
Light colour	3000 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



LOBU

LOBU brings reduced luminaire design in a small structural shape with powerful lighting characteristics onto the sales floor. The best possible light distribution in every tilted position systematically sets the scene for the goods. Colour combination possibilities for the housing and the reflector ring provide design freedom for more individuality.


Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



MIDO

Value for the supermarket – with MIDO the goods in the assortment-containing aisle is given optimum emphasis. The indirect light directing of the reflectors made of Miro Silver® makes a lighting landscape arise that guarantees a relaxed shopping experience. At the same time, MIDO is a power package with a high-performance LED module for an excellent energy balance.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	9000 lm
Light colour	2700 K, 3000 K, 3500 K, 4000 K
Supply unit	driver integrated

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



QUAD

Innovation in all areas: the use of a translucent ceramic as both a heat sink and design element and the light-bundling collimator technology make possible the extremely flat QUAD design. Lens disks can be used to set the ideal beam angle - quickly and easily.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3600 lm
Light colour	3000 K, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



QUAD.TOO

Innovation in all areas: the use of a translucent ceramic as both a heat sink and design element and the light-bundling collimator technology makes possible the extremely flat QUAD.too design. Its track-friendly power supply means it can be installed horizontally at the track or concealed in the ceiling duct.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3600 lm
Light colour	3000 K, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



TARO

TARO offers great flexibility: the freely movable luminaire head swivels by up to 80° while realising an exceptionally effective light incidence. Thanks to its compact installation depth, this spotlight requires little space for ceiling installation. It thus combines the advantages of a recessed solution with the features of a surface-mounted directional spot.

Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



TARO MINI

TARO MINI – small and flexible. The track-friendly power supply enables both horizontal installation at the track in ceiling ducts as well as vertical installation. The single-axis attachment of the luminaire head makes the TARO MINI incredibly easy to handle.


Technical details

Type of luminaire	Surface-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



AGIRA

It is a small structure with maximum flexibility. That characterises AGIRA since the spotlight can be swivelled round one axis and additionally can be rotated through 355 degrees and hence combined the advantages of a gimbal-mounted luminaire with those of a classic recessed spotlight. In that way the light purposefully reaches the goods and sets accents there.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



CARDAN SOLO 175

The gimballed axes of the CARDAN SOLO 175 are its defining functional element. These make this recessed spotlight extremely flexible to use.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



LOBU

LOBU, as a recessed directional spotlight, is an efficient power package of compact design. Turning through 355° and swivelling through 140°, in every swivelled position it systematically sets the scene for goods. The customized choice of colour for the reflector ring in white or black makes two-coloured luminaire design possible.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



MIDO

Value for the supermarket – with MIDO the goods in the assortment-containing aisle is given optimum emphasis. The indirect light directing of the reflectors made of Miro Silver® makes a lighting landscape arise that guarantees a relaxed shopping experience. At the same time, MIDO is a power package with a high-performance LED module for an excellent energy balance.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	9000 lm
Light colour	2700 K, 3000 K, 3500 K, 4000 K
Supply unit	driver separate

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



NIMBUS VARIO PLUS

High luminous flux with homogeneous light distribution and light incidence flush with the ceiling: NIMBUS VARIO PLUS efficiently illuminates the target surface. This wallwasher can be flexibly adjusted to match the individual ceiling height and merchandise presentation.

Technical details

Type of luminaire	Recessed wall-washing floodlights
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



QUAD

Installation from the ceiling-flush downlight for an uncluttered appearance to the swivelled out spotlight for the accentuation of the high-level decorative elements – QUAD is extremely adaptable and space-saving. The use of translucent ceramic material as a cooling and design element and of collimator technology for light bundling permits an extremely flat design of the QUAD recessed spotlight and an extremely shallow mounting depth.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	3600 lm
Light colour	3000 K, 3500 K, 4000 K
Supply unit	driver separate
Variants	LED, LED^{IQ}



[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



QUIRA PLUS

Lighting modernisation made easy with QUIRA PLUS: three ceiling opening dimensions – one spotlight! At the same time lighting comfort and level of performance for the recessed spotlight are to be taken for granted. QUIRA PLUS can be swivelled in to accentuate the merchandise in the sales room and at the same time it remains flush with the ceiling. And swivelled out, QUIRA PLUS reaches every high-level decoration with pinpoint accuracy.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	2000 lm - 5000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



QUIRA

QUIRA – the recessed spotlight with impressive features: powerful and extremely flexible, yet small and handy. QUIRA can be swivelled to accentuate merchandise while remaining flush with the ceiling. And when extended, QUIRA precisely illuminates all high-level decoration.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



STRATUS 155

STRATUS 155 can be used for all lighting tasks in retail. The luminaire can be integrated discreetly into the ceiling design.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



TARO

Taro's two-colour design and outstanding performance and efficiency make this luminaire a top choice. Thanks to its sophisticated heat management, TARO's light yield is nothing short of excellent. And the single-axis attachment of the luminaire head also makes handling incredibly easy.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



TARO MINI

TARO MINI enables perfect illumination of decorations placed at higher levels. TARO MINI is not just small and extremely easy to install, but extremely flexible as well: the freely movable luminaire head swivels up to 80°, and thanks to its compact installation depth this spotlight requires minimum space for ceiling installation. In all, it combines the advantages of recessed and surface-mounted spotlights.

Technical details

Type of luminaire	Recess-mounted directional spotlight
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



CANILO

CANILO is characterised by classic, elegant design and provides a special element for supporting the customer's CI: the lateral bracket can be adjusted colour-wise to customise it. The set-back reflector with an integrated anti-glare ring provides a high degree of visual comfort. The variable suspension that can be adjusted without tools and is in the form of a live wire imparts an elegant look to the suspended luminaire.

Technical details

Type of luminaire	Suspended luminaires
Lighting technology	LED
Socket	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



IN.VOLA

The decorative suspended luminaire IN.VOLA attracts attention to itself already from far off and supports high-quality shop design. Two glass shade shapes, a spherical and a conical segment, can be chosen from. Besides the decorative lighting effect, an optical light directing system is selectable for systematic product illumination.

Technical details

Type of luminaire	Suspended luminaires
Lighting technology	LED, E 27
Lumen category	2500 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver separate/integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



LORETO

LORETO combines performance with large-area, visible light and in that way is ideally qualified for representative areas such as malls or entrance areas. Three different diameters, two different light colours and three pendant lengths leave a lot of leeway for supporting the architecture. At the same time, LORETO is, with its up to 10,000 lm a real power package.

Technical details

Type of luminaire **Suspended luminaires**

Lighting technology **LED**

Lumen category **5000 lm - 10000 lm**

Light colour **3000 K, 4000 K**

Supply unit **driver integrated**

Variants **LED, LED^{IQ}**

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



LESIMA 350

LESIMA with twice the power! Even from a distance, it's impossible to overlook LESIMA's individual design and decorative accents. The luminaire shade are available in a variety of shapes, sizes and materials, and provide in-room orientation through their specific decorative elements and translucent light patterns. In addition to an appearance that sets just the right mood, LESIMA highlights merchandise in a targeted, powerful manner.

Technical details

Type of luminaire	Suspended luminaires
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate / integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



LESIMA 200

LESIMA with twice the power! Even from a distance, it's impossible to overlook LESIMA's individual design and decorative accents. The luminaire shade are available in a variety of shapes, sizes and materials, and provide in-room orientation through their specific decorative elements and translucent light patterns. In addition to an appearance that sets just the right mood, LESIMA highlights merchandise in a targeted, powerful manner.

Technical details

Type of luminaire	Suspended luminaires
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate / integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



LIMBA

Limba is a suspended luminaire in vintage design used as a decorative eye-catcher and for goods presentation. The lampshade made of aluminium is, in the standard version, black on the outside and white inside and a black textile cable underlines the high-quality appearance. Also customized colour combinations are possible on request. With LED^{IQ} lighting management for an optional wireless interface the luminaire provides an intelligent solution for more comfort, quality and economic efficiency.

Technical details

Type of luminaire	Suspended luminaires
Lighting technology	LED, E 27
Lumen category	3000 lm - 5000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



TARO

TARO is especially eye-catching as a suspended luminaire. Its translucent acrylic ring creates a greater effect at a distance, and the glare rings that limit looking into the luminaire enable its appearance to be customised to a greater extent. The conical sleeve for the textile-clad power lead completes the high fabrication quality of this luminaire.

Technical details

Type of luminaire	Suspended luminaires
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate / integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



QUAD

Power tracks The 3-circuit power track system made of aluminium for flexible applications adapts to all retail areas – whether mounted horizontally or vertically, or as a suspended system. Thanks to various lengths of 1 to 3 metres, customised configurations can be easily put together.

Technical details

Type of luminaire **Suspended luminaires**

Lighting technology **LED**

Lumen category **3600 lm**

Light colour **3000 K, 3500 K, 4000 K**

Supply unit **driver integrated**

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



E-LINE

Light strip system with choice of reflector types for base lighting of sales floors, for ceiling mounting or height-adjustable suspension using steel wires.

Technical details

Type of luminaire	Systems
Lighting technology	LED
Lumen category	4000 lm - 5500 lm
Light colour	3000 K, 4000 K
Supply unit	driver integrated
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



SISTEMA

SISTEMA - the modular recessed luminaire system with rectangular design features tool-free installation from frame to illumination module. Whether as a gimballed recessed spot or surface-mounted directional spot - it can be combined in your shop an innume

Technical details

Type of luminaire	Systems
Lighting technology	LED
Lumen category	2000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)



SISTEMA COMPACT

Compact, flexible, modular – SISTEMA COMPACT is convincing with assembly completely without tools from the frame to the lighting module. Whether a recessed spotlight or a surface-mounted directional spotlight – the possible combinations of the modules are wide-ranging and provide design networking with other product families for an integrated store concept.

Technical details

Type of luminaire	Systems
Lighting technology	LED
Lumen category	3000 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)





SYSTEM 190

Clear, linear design: SYSTEM 190 enables unrestricted design of ceiling elements. Rapid, tool-free, ready to plug in - installation of the entire system is easy as can be. Gimballed, frameless spotlight modules ensure ease of use.

Technical details

Type of luminaire	Systems
Lighting technology	LED
Lumen category	1900 lm - 4000 lm
Light colour	2700 K, 3000 K, 3100 K Best Colour, 3100 K Efficient Colour, 3500 K, 4000 K, B+V+C, M, M+F
Supply unit	driver separate
Variants	LED, LED^{IQ}

[VIEW THE PRODUCT ONLINE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)

[TO THE OKTALITE WEBSITE](#)

[PRODUCT OVERVIEW](#)

[TABLE OF CONTENTS](#)

CONTACT

Oktalite Lighting technology GmbH
Mathias-Brüggen-Straße 73
50829 Cologne (Cologne)

T +49 221 59767-0

F +49 221 59767-40

E-Mail: mail@oktalite.com